Printing date 05/03/2019

Version number 1

Reviewed on 05/03/2019

# 1 Identification

### · Product identifier

 Trade name: Jowacoll 107.50
 Application of the substance / the mixture Dispersion glue Adhesives

 Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Jowat Corporation 6058 Lois Lane Archdale, NC 27263 Phone: 336-434-9000 Fax: 336-434-9019 info@jowat.com
 Department issuing SDS: Environmental management Tal: +40.5221.740, 218 / 211 / 270

Tel. +49 5231 749 -218 / -211 / -270 e-mail: umweltmanagement@jowat.de

Information provided by department: Jowat Corporation 5608 Uwharrie Rd. Archdale, NC 27263 P.O.Box 1368 High Point, NC 27261 Tel.: +1 336 434-9000 Fax: +1 336 434-9019 E-Mail: info@jowat.com
Emergency telephone number:

1 800 424 9300 (Chemtrec 24 hours service) 1 800 424 9300 (Chemtrec 24 hours service)

# 2 Hazard(s) identification

· Classification of the substance or mixture

GHS07

Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation.

# · Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



### · Signal word Warning

- Hazard statements
- H315 Causes skin irritation.

H319 Causes serious eye irritation.

# Precautionary statements P264 Wash the

Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

Printing date 05/03/2019

Version number 1

Reviewed on 05/03/2019

Trade name: Jowacoll 107.50

raue name. Jowacon i	07.50	
P362+P364 P337+P313 · Classification syster · NFPA ratings (scal		(Contd. of page 1)
200 Health Fire = 0 Reactive	—	
· HMIS ratings (scale	e 0-4)	
	h = 2 mability = 0 tivity = 0	
Other hazards     Results of PBT and     PBT: Not applicat     vPvB: Not applicat	ble.	
3 Composition/info	ormation on ingredients	
Chemical characteria     Description:     aqueous polymer er     polyvinyl acetate		
· Dangerous compo	onents:	
CAS: 7446-70-0 RTECS: BD 0525000	aluminium chloride, anhydrous	1-<2.5%
Additional informa     In case any risk phra	<b>ition</b> ases are listed, please refer to paragraph 16 for the exact w	ording.

# 4 First-aid measures

- · Description of first aid measures
  - · General information Immediately remove any clothing soiled by the product.
  - · After skin contact Immediately wash with water and soap and rinse thoroughly.
  - · After eye contact

Flush out opened eye for several minutes under running water. If symptoms persist, consult physician.

- · After swallowing If symptoms persist consult physician.
- Information for physician
  - Most important symptoms and effects, both acute and delayed No further relevant information available.
  - Indication of any immediate medical attention and special treatment needed No further relevant information available.

# **5** Fire-fighting measures

# · Extinguishing media

# · Suitable extinguishing agents

- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol-resistant foam. Use fire fighting measures that suit the environment.
- $\cdot$  Special hazards arising from the substance or mixture
- Under certain fire conditions, traces of other toxic gases cannot be excluded.

# Advice for firefighters

· Protective equipment: Do not inhale explosion gases or combustion gases.

# 6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Wear protective clothing. (Contd. on page 3)

(Contd. of page 2)

# Safety Data Sheet acc. to OSHA HCS

Printing date 05/03/2019

Version number 1

Reviewed on 05/03/2019

#### Trade name: Jowacoll 107.50

• Environmental precautions: Do not allow product to reach sewer system or open water.

- Prevent from spreading (e.g. by damming-in or oil barriers).
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, general-purpose binders, sawdust).
- Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

# 7 Handling and storage

#### · Handling

#### · Precautions for safe handling

Store in cool, dry place in tightly closed containers. Prevent formation of aerosols.

· Information about protection against explosions and fires: No special measures required.

### · Conditions for safe storage, including any incompatibilities

### · Storage

- Requirements to be met by storage facilities and containers: No special requirements.
- Information concerning mixed product storage facilities: Not required.
- · Further information on storage conditions:
- Protect from frost. Keep container tightly sealed. • Storage class 12

· Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

#### · Control parameters

#### · Components with limit values that require monitoring in the workplace:

••			
7446-70-0 aluminium chloride, anhydrous			
	Long-term value: 2 mg/m <sup>3</sup> as Al		
	Long-term value: 1* mg/m <sup>3</sup> as Al;*as respirable fraction		
	- Pequilatory information		

#### Regulatory information REL: Guide to Occupational Exposure Values (NIOSH RELs)

TLV: Guide to Occupational Exposure Values (ACGIH)

# • Additional information:

The lists that were valid at the date of compilation of this SDS were used as basis.

# · Exposure controls

# · Personal protective equipment

# General protection and hygiene precautions

- The standard precautionary measures for handling chemicals should be observed.
- Keep away from food, beverages and animal feed.
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- Do not eat or drink while working.

# Breathing equipment:

Has to be worn only if no adequate extraction system is operating when sprayed. Filter A/P2

Not necessary if room is well-ventilated.

• Protection of hands: Impervious gloves

Material of gloves Plastic gloves

Printing date 05/03/2019

Version number 1

Reviewed on 05/03/2019

# Trade name: Jowacoll 107.50

(Contd. of page 3)

 Penetration time of glove material Please contact the glove manufacturer for the exact time of penetration/resistance level and observe this limit.

- In case of permanent contact in work areas where the risk of injury is low (e.g. labs) gloves made of the following material are suitable:
- Plastic gloves
- In case of permanent contact, gloves made of the following materials are suitable: Plastic gloves
- The following materials are unsuitable for gloves: Leather gloves Strong gloves

# · Eye protection:

Goggles recommended during refilling an spraying. Safety glasses

### 9 Physical and chemical properties

<ul> <li>Information on basic physical and chemical properties</li> </ul>				
· General Information				
· Appearance: · Form:	Fluid			
· Color:	White			
· Odor:	slightly acetate			
<ul> <li>Odor threshold:</li> </ul>	Not determined.			
· pH-value at 20 °C (68 °F):	3			
· Change in condition				
<ul> <li>Melting point/Melting range:</li> </ul>	undetermined			
<ul> <li>Boiling point/Boiling range:</li> </ul>	100 °C (212 °F)			
· Flash point:	Not applicable			
· Flammability (solid, gaseous)	Not applicable.			
· Decomposition temperature:	Not determined.			
· Self-igniting:	Product is not selfigniting.			
· Danger of explosion:	Product does not present an explosion hazard.			
<ul> <li>Explosion limits:</li> </ul>				
· Lower:	Not determined.			
· Upper:	Not determined.			
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)			
<ul> <li>Density at 20 °C (68 °F):</li> </ul>	1.06 g/cm <sup>3</sup> (8.85 lbs/gal)			
<ul> <li>Relative density</li> </ul>	Not determined.			
· Vapor density	Not determined.			
· Evaporation rate	Not determined.			
<ul> <li>Solubility in / Miscibility with</li> </ul>				
· Water:	Fully miscible			
· Partition coefficient (n-octanol/wa	ter): Not determined.			
· Viscosity:				
dynamic at 20 °C (68 °F):	6,000 mPas			
· kinematic:	Not determined.			
· Solvent content:				
Solid content:	51.5 %			
· Other information	No further relevant information available.			

Printing date 05/03/2019

Version number 1

Reviewed on 05/03/2019

Trade name: Jowacoll 107.50

	(Contd. of page 4)
· VOC - Volatile Organic Compounds	
· European Union	0.01 %
Switzerland	0.00 %
<ul> <li>U.S.A (less water and less exempts)</li> </ul>	0.1 g/l / 0.00 lb/gal

# 10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
  - $\cdot$  Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- Hazardous decomposition products: Ethanoic acid

# 11 Toxicological information

· Information on toxicological effects

### · Acute toxicity:

- · LD/LC50 values that are relevant for classification: not applicable
- · Primary irritant effect:
  - on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations (Directive 1999/45/EC of the European Parliament and of the Council) as issued in the latest version: Irritant

man

· Carcinogenic categories

<ul> <li>IARC (International Agency for Research on Cancer)</li> </ul>	
Poly(vinyl acetate)	3
· NTP (National Toxicology Program)	
None of the ingredients is listed.	
<ul> <li>OSHA-Ca (Occupational Safety &amp; Health Administration)</li> </ul>	
None of the ingredients is listed.	
12 Ecological information	

· Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
  - · General remarks:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Prevent undiluted product or product in large amounts to reach ground water, open waters or sewer systems.

- · Results of PBT and vPvB assessment
  - · PBT: Not applicable.
  - · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

Printing date 05/03/2019

Version number 1

Reviewed on 05/03/2019

Trade name: Jowacoll 107.50

(Contd. of page 5)

# 13 Disposal considerations

# Waste treatment methods

### · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewer system. Hand over to hazardous waste disposers.

#### · Uncleaned containers/packaging materials:

#### · Recommendation:

Packagings that cannot be cleansed are to be disposed of in the same manner as the product. Packaging can be reused or recycled after cleaning.

Empty contaminated packaging thoroughly. They can be recycled after thorough and proper cleaning. Packaging with cured adhesive residues can be recycled.

Packaging with cured adhesive residues can be treated as household waste.

Packaging with uncured adhesive residues must be disposed of as hazardous waste.

· Recommended cleaning agent: Water, if necessary with cleaning agents.

# 14 Transport information

· UN-Number · DOT, ADR, ADN, IMDG, IATA	Void	
<ul> <li>• UN proper shipping name</li> <li>• DOT, ADR, ADN, IMDG, IATA</li> </ul>	Void	
· Transport hazard class(es)		
<ul> <li>DOT, ADR, ADN, IMDG, IATA</li> <li>Class</li> </ul>	Void	
<ul> <li>Packing group</li> <li>DOT, ADR, IMDG, IATA</li> </ul>	Void	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	<b>II of</b> Not applicable.	
· UN "Model Regulation":	Void	

# <sup>\*</sup>15 Regulatory information

# Safety, health and environmental regulations/legislation specific for the substance or mixture SARA Section 355 (extremely hazardous substances)

 None of the ingredients is listed.

 • SARA Section 313 (specific toxic chemical listings)

 None of the ingredients is listed.

 • TSCA (Toxic Substances Control Act): (Substances not listed)

 All ingredients are listed.

 • Hazardous Air Pollutants

 108-05-4

 vinyl acetate

 • Proposition 65

# · Prop 65 - Chemicals known to cause cancer

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females

None of the ingredients is listed.

Printing date 05/03/2019

Version number 1

Reviewed on 05/03/2019

Trade name: Jowacoll 107.50

(Contd. of page 6)

# None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males

· Chemicals known to cause developmental toxicity

None of the ingredients is listed.

#### · Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

#### • TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

These data are based on our present state of information. They shall, however, not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. All standard industrial precautions apply, concerning protection of health, and safe handling. The recommendations have to be examined in the context of the application for which the product is intended, and observed as necessary.

· Date of preparation / last revision 05/03/2019 / -

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

• \* Data in paragraphs with asterisk are revised in comparison to the previous version.