Printing date 11/27/2019

Version number 1

Reviewed on 11/27/2019

# 1 Identification

# · Product identifier

· Trade name: Jowat-Hightherm 221.00

Application of the substance / the mixture Adhesives

# Details of the supplier of the safety data sheet Manufacturer/Supplier: Jowat Corporation

6058 Lois Lane Archdale, NC 27263 Phone: 336-434-9000 Fax: 336-434-9019 info@jowat.com

#### Department issuing SDS: Environmental management Tel. +49 5231 749 -218 / -211 / -270 e-mail: umweltmanagement@jowat.de

# Information provided by department: Jowat Corporation 5608 Uwharrie Rd. Archdale, NC 27263 P.O.Box 1368 High Point, NC 27261

Tel.: +1 336 434-9000 Fax: +1 336 434-9019

E-Mail: info@jowat.com

· Emergency telephone number: 1 800 424 9300 (Chemtrec 24 hours service)

# 2 Hazard(s) identification

# • Classification of the substance or mixture The product is not classified, according to the Globally Harmonized System (GHS).

### · Label elements

- · GHS label elements Void
  - · Hazard pictograms Void
  - Signal word Void
  - · Hazard statements Void
- · Classification system
  - NFPA ratings (scale 0-4)



Health = 0 Fire = 1 Reactivity = 0

# · HMIS ratings (scale 0-4)

HEALTHIFIRE1Flammability = 1REACTIVITYReactivity = 0

- · Other hazards
  - · Results of PBT and vPvB assessment
    - · **PBT:** Not applicable.
    - · vPvB: Not applicable.

(Contd. on page 2)

Printing date 11/27/2019

Version number 1

Trade name: Jowat-Hightherm 221.00

(Contd. of page 1)

# 3 Composition/information on ingredients

# · Chemical characterization: Mixtures

 Description: Hot melt adhesive Polypropylene modification polyolefine

· Dangerous components: Void

# 4 First-aid measures

# · Description of first aid measures

· General information No special measures required.

- After inhalation Supply fresh air; consult physician in case of problems.
- · After skin contact

Immediately wash with water and soap and rinse thoroughly.

Generally the product does not irritate the skin.

After contact with the molten product, cool rapidly with cold water.

Do not peel solidified product from the skin.

Seek medical treatment.

· After eye contact Rinse opened eye for several minutes under running water.

• After swallowing If symptoms persist consult physician.

- Information for physician
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

# **5 Fire-fighting measures**

#### · Extinguishing media

· Suitable extinguishing agents

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcoholresistant foam.

· For safety reasons unsuitable extinguishing agents Water in a full jet.

# · Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

Under certain fire conditions, traces of other toxic gases cannot be excluded.

· Advice for firefighters

· Protective equipment: Do not inhale explosion gases or combustion gases.

# 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Particular danger of slipping on leaked/spilled product.
- Environmental precautions:

Do not allow product to reach sewer system or open water.

Prevent from spreading (e.g. by damming-in or oil barriers).

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, general-purpose binders, sawdust).

Allow to solidify. Pick up mechanically.

(Contd. on page 3)

Reviewed on 11/27/2019

Trade name: Jowat-Hightherm 221.00

Printing date 11/27/2019

## · Reference to other sections

See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

# 7 Handling and storage

#### · Handling

# Precautions for safe handling

Store in cool, dry place in tightly closed containers.

Ensure that suitable extractors/ventilation systems are available on processing machines and in the workplace. In the context of the risk assessment, it is necessary to evaluate whether and to what extent protective measures are required. If necessary, a workplace measurement has to be carried out.

 Information about protection against explosions and fires: No special measures required.

# · Conditions for safe storage, including any incompatibilities

#### · Storage

- · Requirements to be met by storage facilities and containers: No special requirements.
- · Information concerning mixed product storage facilities: Not required.
- · Further information on storage conditions: None.
- · Storage class 10

• Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

#### · Control parameters

Components with limit values that require monitoring in the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

### · Additional information:

The lists that were valid at the date of compilation of this SDS were used as basis.

#### · Exposure controls

# Personal protective equipment

#### General protection and hygiene precautions

The standard precautionary measures for handling chemicals should be observed. Wash hands before breaks and at the end of work.

Avoid skin contact with the liquefied material.

- · Breathing equipment: Not necessary if room is well-ventilated.
- · Protection of hands: Heat-resistant gloves

# Material of gloves

Leather gloves

Strong gloves

- · Penetration time of glove material No special requirements.
- The following materials are unsuitable for gloves:
- Leather gloves
- Strong gloves

• Eye protection: Goggles recommended during refilling an spraying.

(Contd. on page 4)

(Contd. of page 2)

Version number 1

Printing date 11/27/2019

Version number 1

Reviewed on 11/27/2019

Trade name: Jowat-Hightherm 221.00

(Contd. of page 3)

9 Physical and chemical properties         Information on basic physical and chemical properties         General Information         Appearance:         Form:       Fluid         Color:       According to product specification         Odor:       Characteristic         Odor threshold:       Not determined.         pH-value:       Not determined.         Change in condition       undetermined         Boiling point/Boiling range:       undetermined         Boiling point/Boiling range:       undetermined         Boiling point/Boiling range:       351 °C (363.8 °F)         Flash point:       173 °C (343.4 °F)         Flash point:       173 °C (>572 °F)         Decomposition temperature:       > 220 °C         Self-igniting:       Product is not selfigniting.         Danger of explosion:       Product does not present an explosion         Explosion limits:       .         Lower:       Not determined.         Upper:       Not determined.         Vapor pressure:       Not determined.         Vapor pressure:       Not determined.         Vapor density       Not determined.         Vapor density       Not determined.         Vapor density       Not determine	1
General Information       Appearance:       Fluid         · Form:       Fluid         · Color:       According to product specification         · Odor:       Characteristic         · Odor threshold:       Not determined.         · pH-value:       Not determined.         · PH-value:       Not determined.         · PH-value:       Not determined.         · Change in condition       undetermined         · Boiling point/Melting range:       undetermined         · Boiling point/Boiling range:       351 °C (663.8 °F)         · Flash point:       173 °C (343.4 °F)         · Flammability (solid, gaseous)       Not applicable.         · Ignition temperature:       >300 °C (>572 °F)         · Decomposition temperature:       > 220 °C         · Self-igniting:       Product does not present an explosion         · Lower:       Not determined.         · Lower:       Not determined.         · Upper:       Not determined.         · Vapor pressure:       Not determined.         · Vapor density       Not determined.         · Evap	1
· Form:       Fluid         · Color:       According to product specification         · Odor threshold:       Not determined.         · pH-value:       Not determined.         · PH-value:       Not determined.         · Change in condition       undetermined         · Boiling point/Melting range:       undetermined         · Boiling point/Boiling range:       undetermined         · Boiling point/Boiling range:       351 °C (663.8 °F)         · Flash point:       173 °C (343.4 °F)         · Flash point:       173 °C (343.4 °F)         · Ignition temperature:       >300 °C (>572 °F)         · Decomposition temperature:       > 220 °C         · Self-igniting:       Product is not selfigniting.         · Danger of explosion:       Product does not present an explosion         · Explosion limits:       .         · Lower:       Not determined.         · Upper:       Not determined.         · Vapor pressure:       Not determined.         · Vapor density       Not determined.	l
· Color:       According to product specification         · Odor:       Characteristic         · Odor threshold:       Not determined.         · pH-value:       Not determined.         · Change in condition       undetermined         · Melting point/Melting range:       undetermined         · Boiling point/Boiling range:       351 °C (663.8 °F)         · Flash point:       173 °C (343.4 °F)         · Flammability (solid, gaseous)       Not applicable.         · Ignition temperature:       >300 °C (>572 °F)         · Decomposition temperature:       > 220 °C         · Self-igniting:       Product is not selfigniting.         · Danger of explosion:       Product does not present an explosion         · Lower:       Not determined.         · Upper:       Not determined.         · Vapor pressure:       Not determined.         · Vapor density       Not determined.         · Solubility in / Miscibility with       Vatermined.	l
· Odor:       Characteristic         · Odor threshold:       Not determined.         · pH-value:       Not determined.         · Change in condition       undetermined         · Melting point/Melting range:       undetermined         · Boiling point/Boiling range:       351 °C (663.8 °F)         · Flash point:       173 °C (343.4 °F)         · Flammability (solid, gaseous)       Not applicable.         · Ignition temperature:       >300 °C (>572 °F)         · Decomposition temperature:       > 220 °C         · Self-igniting:       Product is not selfigniting.         · Danger of explosion:       Product does not present an explosiod         · Explosion limits:       .         · Lower:       Not determined.         · Upper:       Not determined.         · Vapor pressure:       Not determined.         · Vapor density       Not determined.         · Solubility in / Miscibility with       Vatermined.	1 
· Odor threshold:       Not determined.         · pH-value:       Not determined.         · Change in condition       undetermined         · Melting point/Melting range:       undetermined         · Boiling point/Boiling range:       351 °C (663.8 °F)         · Flash point:       173 °C (343.4 °F)         · Flash point:       173 °C (572 °F)         · Ignition temperature:       >300 °C (>572 °F)         · Decomposition temperature:       > 220 °C         · Self-igniting:       Product is not selfigniting.         · Danger of explosion:       Product does not present an explosion         · Explosion limits:       Not determined.         · Upper:       Not determined.         · Vapor pressure:       Not determined.         · Vapor density       Not determined.         · Vapor density       Not determined.         · Vapor density       Not determined.         · Solubility in / Miscibility with       Vatermined.	
· pH-value:       Not determined.         · Change in condition · Melting point/Melting range: · Boiling point/Boiling range:       undetermined · 351 °C (663.8 °F)         · Flash point:       173 °C (343.4 °F)         · Flammability (solid, gaseous)       Not applicable.         · Ignition temperature:       >300 °C (>572 °F)         · Decomposition temperature:       > 220 °C         · Self-igniting:       Product is not selfigniting.         · Danger of explosion:       Product does not present an explosion         · Explosion limits:       .         · Lower:       Not determined.         · Upper:       Not determined.         · Vapor pressure:       Not determined.         · Vapor density       Not determined.         · Vapor density       Not determined.         · Solubility in / Miscibility with       Vetermined.	
<ul> <li>Change in condition         <ul> <li>Melting point/Melting range:</li> <li>Boiling point/Boiling range:</li> <li>351 °C (663.8 °F)</li> </ul> </li> <li>Flash point:</li> <li>173 °C (343.4 °F)</li> <li>Flammability (solid, gaseous)</li> <li>Not applicable.</li> <li>Ignition temperature:</li> <li>&gt;300 °C (&gt;572 °F)</li> <li>Decomposition temperature:</li> <li>&gt; 220 °C</li> <li>Self-igniting:</li> <li>Product is not selfigniting.</li> <li>Danger of explosion:</li> <li>Product does not present an explosiod</li> <li>Explosion limits:         <ul> <li>Lower:</li> <li>Not determined.</li> <li>Upper:</li> <li>Not determined.</li> <li>Vapor pressure:</li> <li>Not determined.</li> <li>Vapor density</li> <li>Not determined.</li> <li>Vapor density</li> <li>Not determined.</li> <li>Vapor density</li> <li>Not determined.</li> <li>Vapor density</li> <li>Not determined.</li> <li>Evaporation rate</li> <li>Not determined.</li> <li>Evaporation rate</li> <li>Not determined.</li> </ul> </li> </ul>	
• Melting point/Melting range:       undetermined         • Boiling point/Boiling range:       351 °C (663.8 °F)         • Flash point:       173 °C (343.4 °F)         • Flammability (solid, gaseous)       Not applicable.         • Ignition temperature:       >300 °C (>572 °F)         • Decomposition temperature:       > 220 °C         • Self-igniting:       Product is not selfigniting.         • Danger of explosion:       Product does not present an explosion         • Explosion limits:       Not determined.         • Upper:       Not determined.         • Vapor pressure:       Not determined.         • Vapor density       Not determined.         • Vapor density       Not determined.         • Solubility in / Miscibility with       Not determined.	
• Boiling point/Boiling range:       351 °C (663.8 °F)         • Flash point:       173 °C (343.4 °F)         • Flammability (solid, gaseous)       Not applicable.         • Ignition temperature:       >300 °C (>572 °F)         • Decomposition temperature:       > 220 °C         • Self-igniting:       Product is not selfigniting.         • Danger of explosion:       Product does not present an explosion         • Explosion limits:       Not determined.         • Upper:       Not determined.         • Vapor pressure:       Not determined.         • Relative density       Not determined.         • Vapor density       Not determined.         • Solubility in / Miscibility with       Not determined.	
· Flash point:       173 °C (343.4 °F)         · Flammability (solid, gaseous)       Not applicable.         · Ignition temperature:       >300 °C (>572 °F)         · Decomposition temperature:       > 220 °C         · Self-igniting:       Product is not selfigniting.         · Danger of explosion:       Product does not present an explosion         · Explosion limits:       .         · Lower:       Not determined.         · Upper:       Not determined.         · Vapor pressure:       Not determined.         · Relative density       Not determined.         · Vapor density       Not determined.         · Solubility in / Miscibility with       Not determined.	
Flammability (solid, gaseous)       Not applicable.         Ignition temperature:       >300 °C (>572 °F)         Decomposition temperature:       > 220 °C         Self-igniting:       Product is not selfigniting.         Danger of explosion:       Product does not present an explosion         Explosion limits:       Not determined.         Upper:       Not determined.         Vapor pressure:       Not determined.         Relative density       Not determined.         Vapor density       Not determined.         Vapor density       Not determined.         Solubility in / Miscibility with       Not determined.	
· Ignition temperature:       >300 °C (>572 °F)         · Decomposition temperature:       > 220 °C         · Self-igniting:       Product is not selfigniting.         · Danger of explosion:       Product does not present an explosion         · Explosion limits:       .         · Lower:       Not determined.         · Upper:       Not determined.         · Vapor pressure:       Not determined.         · Vapor pressure:       Not determined.         · Vapor density       Not determined.         · Vapor density       Not determined.         · Solubility in / Miscibility with       Vetermined.	
· Decomposition temperature:       > 220 °C         · Self-igniting:       Product is not selfigniting.         · Danger of explosion:       Product does not present an explosion         · Explosion limits:       ·         · Lower:       Not determined.         · Upper:       Not determined.         · Vapor pressure:       Not determined.         · Density:       Not determined.         · Relative density       Not determined.         · Vapor density       Not determined.         · Solubility in / Miscibility with       Vation of the second of	
Self-igniting:       Product is not selfigniting.         Danger of explosion:       Product does not present an explosion         Explosion limits:       Not determined.         Upper:       Not determined.         Vapor pressure:       Not determined.         Pensity:       Not determined.         Vapor density       Not determined.         Vapor density       Not determined.         Solubility in / Miscibility with       Not determined.	
• Danger of explosion:       Product does not present an explosion         • Explosion limits:       •         • Lower:       Not determined.         • Upper:       Not determined.         • Vapor pressure:       Not determined.         • Pensity:       Not determined.         • Pensity:       Not determined.         • Solubility in / Miscibility with       Not determined.	
Explosion limits:         Lower:         Vupper:         Not determined.         Vapor pressure:         Not determined.         Vapor pressure:         Not determined.         Vapor density         Not determined.         Vapor density         Not determined.         Vapor density         Not determined.         Solubility in / Miscibility with	
· Lower:       Not determined.         · Upper:       Not determined.         · Vapor pressure:       Not determined.         · Density:       Not determined.         · Relative density       Not determined.         · Vapor density       Not determined.         · Vapor density       Not determined.         · Evaporation rate       Not determined.         · Solubility in / Miscibility with       Vapor	n hazard.
· Upper:       Not determined.         · Vapor pressure:       Not determined.         · Density:       Not determined         · Relative density       Not determined.         · Vapor density       Not determined.         · Vapor density       Not determined.         · Evaporation rate       Not determined.         · Solubility in / Miscibility with       Vapor	
Vapor pressure:     Not determined.       • Density:     Not determined       • Relative density     Not determined.       • Vapor density     Not determined.       • Evaporation rate     Not determined.       • Solubility in / Miscibility with     Vapor density	
• Density:     Not determined       • Relative density     Not determined.       • Vapor density     Not determined.       • Evaporation rate     Not determined.       • Solubility in / Miscibility with     Not determined.	
• Relative density       Not determined.         • Vapor density       Not determined.         • Evaporation rate       Not determined.         • Solubility in / Miscibility with       Not determined.	
Vapor density Not determined.     Evaporation rate Not determined.     Solubility in / Miscibility with	
Evaporation rate     Not determined.       Solubility in / Miscibility with     Image: Solubility in / Miscibility with	
Solubility in / Miscibility with	
• water: Not miscible or difficult to mix	
· Partition coefficient (n-octanol/water): Not determined.	
Viscosity:	
• dynamic: Not determined.	
• kinematic: Not determined.	
· Solvent content:	
• Solid content: 99.7 %	
Other information No further relevant information availabl	ə.
VOC - Volatile Organic Compounds	
• European Union 0.00 %	
<ul> <li>Switzerland</li> <li>U.S.A (less water and less exempts)</li> <li>0.00 %</li> <li>0.0 g/l / 0.00 lb/gal</li> </ul>	
$-$ 0.0 $\pi$ (1000 m/gal	

10 Stability and reactivity

• **Reactivity** No further relevant information available.

Version number 1

Reviewed on 11/27/2019

Trade name: Jowat-Hightherm 221.00

Printing date 11/27/2019

(Contd. of page 4)

- Chemical stability
   Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. To avoid thermal decomposition do not overheat.
- **Possibility of hazardous reactions** Toxic fumes may be released if heated above the decomposition point No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** Flammable gases/vapors Carbon monoxide and carbon dioxide
  - Danger of toxic pyrolysis products

# **11** Toxicological information

### · Information on toxicological effects

#### · Acute toxicity:

- · LD/LC50 values that are relevant for classification: not applicable
- · Primary irritant effect:
  - on the skin: No irritant effect.
  - · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.

# · Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations (Directive 1999/45/EC of the European Parliament and of the Council) as issued in the latest version:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
Polyethylene low density	3
· NTP (National Toxicology Program)	
None of the ingredients is listed.	
<ul> <li>OSHA-Ca (Occupational Safety &amp; Health Administration)</li> </ul>	
None of the ingredients is listed.	

# 12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
  - · General remarks:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Prevent undiluted product or product in large amounts to reach ground water, open waters or sewer systems.

Reviewed on 11/27/2019

Printing date 11/27/2019

Version number 1

# Trade name: Jowat-Hightherm 221.00

(Contd. of page 5)

#### · Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

# 13 Disposal considerations

#### · Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewer system.

Can be reused without reprocessing.

#### · Uncleaned containers/packaging materials:

#### · Recommendation:

Packagings that cannot be cleansed are to be disposed of in the same manner as the product.

Non contaminated packagings can be reused.

Non contaminated packagings can be used for recycling.

Empty contaminated packaging thoroughly. They can be recycled after thorough and proper cleaning.

Packaging with cured adhesive residues can be recycled.

Packaging with cured adhesive residues can be treated as household waste.

14 Transport information		
· UN-Number · DOT, ADR, ADN, IMDG, IATA	Void	
<ul> <li>UN proper shipping name</li> <li>DOT, ADN, IMDG, IATA</li> <li>ADR</li> </ul>	Void Void Void	
· Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA · Class	Void	
<ul> <li>Packing group</li> <li>DOT, ADR, IMDG, IATA</li> </ul>	Void	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code	<b>II of</b> Not applicable.	
· UN "Model Regulation":	Void	

# <sup>15</sup> Regulatory information

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Section 355 (extremely hazardous substances)

None of the ingredients is listed.

(Contd. on page 7)

Printing date 11/27/2019

Version number 1

Reviewed on 11/27/2019

Trade name: Jowat-Hightherm 221.00

(Contd. of page 6)

SARA Section 313 (specific toxic chemical listings)

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act)

All components have the value ACTIVE.

# · Hazardous Air Pollutants

None of the ingredients is listed.

#### · Proposition 65

# Prop 65 - Chemicals known to cause cancer

None of the ingredients is listed.

#### · Chemicals known to cause reproductive toxicity for females

None of the ingredients is listed.

#### · Chemicals known to cause reproductive toxicity for males

None of the ingredients is listed.

Chemicals known to cause developmental toxicity

# None of the ingredients is listed.

# · Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

#### • TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# 16 Other information

These data are based on our present state of information. They shall, however, not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

All standard industrial precautions apply, concerning protection of health, and safe handling. The recommendations have to be examined in the context of the application for which the product is intended, and observed as necessary.

#### · Date of preparation / last revision 11/27/2019 / -

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health

Printing date 11/27/2019

Version number 1

Reviewed on 11/27/2019

(Contd. of page 7)

# Trade name: Jowat-Hightherm 221.00

TLV: Threshold Limit Value PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

\* Data in paragraphs with asterisk are revised in comparison to the previous version.